

Intelligent Multimedia Educational System on Distributed Environment

Kyungseob Yoon

*Dept. of Computer and Information System, Inha Technical College, KOREA
ksyoon@true.inhatc.ac.kr*

SeiHoon Lee

*Dept. of Computer Engineering, Inha Technical College, KOREA
seihoon@true.inhatc.ac.kr*

Chidon Ahn, Yunsoo Lee, Yeongtae Baek

*Dept. of Computer Science and Engineering, Inha University, KOREA
{joheun| yslee | hannaee}@selab.inha.ac.kr*

Abstract : *This paper suggests a multimedia educational system which has the ability to extract intelligent instruction on the distributed environment. The proposed system is designed for supporting individual instruction and real time user interaction. As the system based on CORBA, it has ability for distributed computing facilities. Using MHEG standard, we can provide multimedia courseware and real time user interaction. To diagnose students' responses and generate evaluations, we use several linguistic variables and fuzzy theory.*

There are two major advantages for using this system. This system can provide dynamic generation of problems and the ability to provide a dynamic instruction strategy. And it can increase reusability of courseware material for using standard of multimedia representation and communication. We use CORBA and MHEG to overcome the disadvantage of the Web, passive protocol and poor interactivity, HTTP.

1. Introduction

The Web has been spread world wide as a standard of distributing multimedia/hypermedia information. There are many applications, include distance learning, based on the Web. The advantage of using distance learning on the Web is apparent. We can provide instructional information using a hypertext form, the same as students' cognitive structure[Cravener 98]. But there are some disadvantages using the Web: passive protocol and poor interactivity[Bolk and Britton 98]. These problems can be overcome with two models, that could be integrated in WWW. A uniform paradigm to encapsulate and structure web components can be achieved thanks to the OMG's CORBA[OMG 95]. And real time user interaction facilities can be achieved by international standard, MHEG[ISO 95].

Despite the WWW is able to access distributed information and services on Internet, it can not provide individualized information to students[Bolk and Britton 98]. In addition, unlike existing stand-alone ITS, students must have the ability to study freely and search related information easily. Therefore the system must overcome potential disorientation problems that could burden accessibility.

In this paper, we suggest an intelligent multimedia educational system that can make intelligent instruction and individual instruction on distributed environment. Our system can support concurrent learning and dynamic lesson planning for each student by using linguistic variables and fuzzy theory. In addition, our system provides instructional units in which students' response are diagnosed, and compared, thereby allowing dynamic instructional strategies to develop in step with the students' progress.

2. Consideration for Multimedia Educational Systems

In this chapter, we consider major problems for developing multimedia educational system on the Web.

2.1 Problems of the Web as educational infrastructure

Students do not require only delivering information, but learning altogether. The major problem when developing educational system on the Web, is very weak interactivity. For students to learn more effectively, they need a high degree of interaction. But most current Web material is represented as HTML, so the Web today provides only low

level interaction[Bolk and Britton 98].

The second problem is poor ability for representing materials. Because the Internet depends on HTML, the materials seem to poorly designed books with hypertext capabilities[Bolk and Britton 98].

To increase interactivities and multimedia facilities, there have been many studies such as Java, CGI, ActiveX, and some extensions of HTML. But these methods are not fit for educational requirements. Most students need individual learning only for themselves. When considering difference among students, this is very important. But the Web lacks capabilities for individual learning.

2.2 The MHEG standard

The MHEG standard provides representation of multimedia objects on heterogeneous networked environment[ISO 95]. It can support real time user interaction when presentation. Multimedia information, which encoded by the MHEG standard, is the MHEG object. As using MHEG objects as inherited form in applications, we require an environment to present these objects. The MHEG standard defined such environment as “engine” [ISO 95].

The MHEG -5 standard is the fifth subset of the MHEG standard. It defines some classes in detail. Those classes are appropriate to some applications such as video on demand, audio on demand, interactive TV and hypermedia navigation [ISO 96].

So, we apply MHEG, the standard of multimedia information representation, when developing multimedia educational system on the Web.

3. System Design

In this chapter, we design multimedia system that has intelligent educational capabilities. Figure 1 shows the system configuration.




Figure 1. System configuration

When learning, students execute web browser that is able to run Java applet. Through log in process, courseware server sends materials to students in forms of MHEG objects. Client browser, include MHEG engine, presents those materials to them. The system logs student’s learning history into student module, and diagnoses them in expert module, and decides student’s next course in instructional strategy module.

When students participate in synchronous education program, such as video lecturing, session management module monitors students’ activities. Event module processes happened user events, and interact with educational modules include student module.

3.1 Educational Modules

Educational modules consist of expert module, student module, and instructional strategy module.

3.1.1 Expert module

The domain knowledge will be used in coaching the students, diagnosing possible misconceptions after a student has made an error, and providing appropriate remedial materials. This domain model has dual representation network, the IUN(Instructional Unit Network) and the CN(Conceptual Network).

Within the IUN, each node represents a learning unit, and it includes the theme of units, learning aim, the link of the concepts related to the learning units, the links to the problems, and the links to the subordinate units.

There are two types of the instructional unit. One is the explain unit, the other is the problem unit. The explain unit has instructional materials that have various media types such as text, graphic, still image, sound, and moving picture. The problem unit has two major concept to diagnosing the student's state, difficulty and importance. These concepts are used when lesson planning and gradual instruction objective creating.

The CN is a knowledge network that piles up the knowledge of being contained in subject domain to be learned by the student. The CN is a data structure, which is a set of collected knowledge concerned with the declaring concept of domain knowledge, but independent upon the instructional knowledge. Each node within the CN represents the instructional concept, and the links between the concepts indicate the relationship of them. Using these relations, it is possible to generate problem dynamically, and to diagnose the student's error.

According to environments of the CORBA, expert module can access CORBA ORB to assist easy retrieval of materials, and URL indexing and caching demon to improve performance of system.

Unlike existing stand-alone ITS, user verification have to be supported so as to provide the individual learning according to the rate of each student.

3.1.2 Student module

The instructional strategy module uses the diagnostic result generated by student module in order to inference the basis for determination of learning progress, supplying advice, and selecting comments. In this paper, the student module is based on the overlay model. The diagnostic results of the student, problem type, and examples are saved at nodes in the student knowledge network. And the form of student knowledge network represents the learning path.

When the domain knowledge expert constructs the IUN and the CN by means of authoring interface, the two networks contain slots represented by linguistic variables for holding importance and difficulty that are the attributes of each problem and instructional unit.

The linguistic variables about the problem are used for diagnosing student's response. Using the linguistic variables, the domain expert can input at more user-friendly environment because of being able to use linguistic variable and no need to decide special real number for attributes of all learning elements. The linguistic variable is the kernel of fuzzy theory that makes use of the fuzzy representation of human being in computer. Using the concentration and dilation in the fuzzy theory, we can define the function that diagnoses the student's current knowledge

The author can change the membership functions upon "Good", "Medium", and "Bad", and the diagnostic results can also vary according to the membership function applied. Hence, the author can control the diagnostic results by changing these three membership functions.

Normalization is defined as follows: suppose that all problem is correct, then, calculate the DV and divide into the result of calculation about correct answer. If the importance and the difficulty are applied at the same time to the same problem, select one that minimizes the membership degree and applies it.

To use more various values for representing the importance or the difficulty, we must consider modifiers applicable to the linguistic variables

regardless of its number of repetition. Hence, the inconsistency of diagnostic result caused by repeated applications of the modifier is removed. For example, "Easy" is never less than "Very Easy" in spite of the number of "Little" modifier's applications.

The calculation result by DV function for the diagnosis of student's response is a real number that ranges between zero and one. To execute fuzzy inference using linguistic variable, result obtained by the DV function has to be fuzzified. Fuzzified result is one of the linguistic variable that consists of Good, Medium, Bad, and the modifier [Very]*, [Less]*.

If we fuzzify the diagnostic results into the linguistic variables, then they can be used together with the inference rules using the linguistic variables.

If the author input the inference rule and there was conflicting among those rules, that is, different result is input at the same condition, the author is presented the condition and is asked what result should be used. The result of learning, whether well or poor, is determined according to what deterministic variable is input by the author. This shows that the author's intention can be reflected to inference rule.

3.1.3 Instructional strategy module

The instructional strategy module mediates and develops the learning of the students through the planning of a curriculum to order the domain knowledge that must be supplied to students, and the planning of teaching to decide

the presentation method, re-planning to construct proper planning and monitor the action of students. Among the contents of a lesson which are taught to the students, the total contents of a lesson are composed of the network of the main objectives of instructions that are relatively independent each other. Lesson plan presents the evaluation problem and the instructional material of instructional unit, decided by the curriculum planning to students in the proper level. The Instructional strategy module offers students the instructional material on the instruction unit and the evaluation problem by means of the method divided by the curriculum planning. The gradual instruction objective must be created by considering the student level that has acquired the degree of difficulty of instruction unit and students' records obtained previously. For an efficient instruction, problem presentation order must be planned dynamically by according to the students' level. The instructional strategy module can create dynamically the problem about the concept learning and the discrimination learning using the CN. Also instructional strategy module can dynamically limit the number of links which the student can select, according to the level of each student. This module have functions which provide the students for advice when the students refer the irrelevant to the present learning content frequently or when disorientation problem occurs.

3.2 Activity Managing Modules

In this section, we design session managing module for providing time dependent group activities for synchronous learning/training. Table 2 defines operations for it.

Table 2 Synchronous learning/training operations

Operations	Functions
Basic Operations	Create Group
	Destroy Group
Group Management Operations	Join Group
	Leave Group
	Manage Applications
	Manage Time Event
	Control Token
	Manage Group Context
Data Transmission Operation	Support Unicast/Multicast
Information Management Operation	Manage and Retrieve User/Group Information

Figure 3 stands out session managing module configuration.




Figure 3. Sesssion Managing Module

Group manager creates groups as response for user requests, and manages them into group pool. Events caused at each group are sent to event handler, and processed using group managing interface.

3.2.1 Event Handler

Information sent to event handler consists of event data and consumer information. This information is managed as FIFO structure. Time event manager provides time dependent group activities. The creator can set lifetime of group, in this case, a group whose lifetime ended closed automatically. This facility is usable when lecturing has time dependency in educational system.

Time event manager manages information per group unit. Time event service process time event defined by user. When predefined event caused, it send it to group manager.

3.2.2 Group Manager

Group manager manages group context that consists of students information, operates for interaction among students. Group context includes student information who participate group currently, lecturer's information. Group manager maintains context recently processed event. When new event, such as participate and leave, caused context switching to appropriate context. When context switching caused, it notifies students of that case using event handler.

User can play a role of "Group Member" or "Inspector" and lecturer has a "Group Chairman" role. Lecturer as group creator has some privileges. Lecturer can give roles to students, close group oppressively, modify and manage group information.

A student must own token when transmit data to other students. When a lecturer requires token, group manager give token to lecturer immediately. But when a student asks token, group manager sends that request to the lecturer and then the lecturer arranges that. During context switching, such as changing token owner, participate or leave, group manager sends that to event manager.

Group manager provides "SendMessageToAll" operation when a student sends message to all participants. Session manager invokes it and group manager sends real data consists of student identifier and message contents using event handler.

3.3 MHEG Engine on Client Side

In this section, we design MHEG engine that can support real time user interaction and standard multimedia representation. Figure 4 shows the MHEG engine configuration.




Figure 4 MHEG engine on client side

The engine consists of object managing module and presentation manager. The encoder and the decoder are based on class library. The class library serves converting between runtime objects and the MHEG objects. The presentation manager includes object interpreter and the interaction handler.

3.3.1 Object Managing Module

In our class library, we define the base class to inherit subclass. The MH5Object class, the base class, has method that can encode and decode one BER(Basic Encoding Rule) item. Each member variable of the MH5Object class is mapped into octets of the BER. The MH5Object class has methods for processing octets. It decodes the BER items, and provides decoded information to child classes. It also encodes information, which child classes specify, to the BER.

The root class is parent class of all other MHEG classes. The root class has an identifier of the application class. The group class includes the action object that must be executed after the MHEG application activated. Users can decode the application object by invoking member method. During encoding of the application object, we must add the BER lengths of lower level objects to length octet of higher level object. Thus, we need two encoding phases.

The scene class group defines the ingredient classes activated simultaneously. Unlike the application class, the scene class includes member variables that are required for presentation such as position and size. But, encoding and decoding of the scene object is same as them of application class.

3.3.2 Presentation Manager

The object interpreter analyzes internal object from decoder, converts them to object lists, and then stores in the object pool. The internal object from decoder is a tree-like structure whose root is the application class. The object handler extracts behaviors of presentable objects, and relocates objects.

When the object interpreter converts objects, we use temporal and spatial information. Since objects are relocated in accordance with spatial information, spatial synchronization and simple temporal synchronization in list structure are accomplished. The object pool contains lists of internal objects.

The purpose of interaction classes, such as hypertext, entry field, button, and slider, is supporting interaction with users. The interaction handler gathers and processes user inputs and events from presentable objects. The interaction

handler analyzes transmitted events, and selects action objects. After that, it analyzes those action objects, and sends appropriate messages to message handling routine. Each interaction requires an action that selects certain object or modifies one or more objects.

All input has their own type in accordance with the interaction classes. The interaction classes are divided into real-time interaction classes and non real-time interaction classes. Table 3 shows types of user input for each MHEG-5 user interaction class.

Table 3 Types of user input

Class	User Input	Data Type	Processing Type
Hypertext	Select/not	Boolean	real-time
Entry Field	Text String	String	non real-time
Push Button	Click/ Not	Boolean	real-time
Radio Button	Press/Release	Boolean	non real-time
Hot Spot	X, Y Position	Integer pair	real-time/ non real-time
Slider	Value	Integer	real-time

Link class consists of link condition and link effect. Link condition is a condition that invokes a link operation. It can be a combination of other conditions. Link effect is an action list that is executed when a link operates. Link effect consists of event source and event data. Event data is a user interaction class that causes an event for link operation. The interaction handler compares event data to user input. If this comparison returns true, the interaction handler executes actions specified in defined condition. Link effect is to be an elementary action or action list. Action list can include an action list. In case of this, action size, the whole size of action list, is required. Action targets, which are modified or selected by each action, are also required.

4. Conclusion and Future Work

We design multimedia system that has intelligent education capabilities on the Web. Our system has several advantages than legacy systems on the Web. We provide individual learning facilities using linguistic variables and fuzzy logic. And we provide more interactivities using MHEG standard. We can distribute educational system on the Web using CORBA. Our system is flexible for distance learning and training that requires more specific and dedicated user interaction.

Of course, We consider introduce XML to our system for multimedia representation on the Web. It accomplished, we can provide more generalized education features on the Web.

References

- [Bolk and Britton 98] A. Bolk and D. R. Britton Jr., "The Web Is Not Yet Suitable for Learning," IEEE Computer, pp. 115-116, June, 1998.
- [Cravener 98] P. Cravener, "Education On the Web: A Rejoinder," IEEE Computer, pp. 107-108, September, 1998.
- [ISO 95] ISO/IEC IS 13522-1 Information technology - Coding of Multimedia and Hypermedia information - Part 1: MHEG object representation - Base notation(ASN.1), 1995.
- [ISO 96] ISO/IEC IS 13522-5 Coding of Multimedia and Hypermedia Information - Part 5: Support for Base-Level Interactive Applications, 1996.
- [OMG 97] OMG, The Common Object Request Broker Architecture and Specification Revision 2.3, OMG Document, 1997

Acknowledgements

The authors wish to acknowledge the financial support of the Korean Research Foundation made in the program year of 1998 and University fund of the Korean Ministry of Information & Communication made in the program year of 1997-1999.